

## **BEVERLY HILLS FIRE DEPARTMENT - FIRE PREVENTION BUREAU**

Telephone: (310) 281-2703 Fax: (310) 278-8561

## FPB 10 - PUBLIC ASSEMBLY APPLICATION Public Assembly Permit Cost \$65.00

DATE:					EVENT DATE	:	
NAME & ADDRESS OF ORGANI	ZATION:						
EVENT PLANNER/COORDINATO	OR:						( )
EVENT NAME:  VENUE:  VENUE ADDRESS:  SPECIFIC ROOM WITHIN VENU HOTEL CONTACT/REPRESENTA		Name		Title	Email	Phoi	ne Number
POSTED OCCUPANCY FOR ROC							
	Dining		Reception		Theater		Classroom
ANTICIPATED OCCUPANCY LOA	AD:						
Guests	Event Staff		Hotel/Venu	ie Staff		_Technical	Staff
	Security			_ Disability	Needs		
DESCRIPTION OF EVENT (e.g.:	luncheon, awai	rd show, etc.	.):				
CTART TIME:					FAID TIME		
START TIME:  Timeline if available		Yes		No	END TIME:	N/A	
Gift Bag Giveaway		Yes		No		N/A	
Greenroom/Backstage		Yes		No		N/A	
**Hazer/Smoke Effect		Yes		No		N/A	
Pre/Post Screening Rooms		Yes		No		N/A	
**Pyrotechnics		Yes		No		N/A	
Stunt/Special Effect		Yes		No		N/A	
Valet Parking		Yes		No		N/A	
**Fire Permit and Fire Safety C	Officer Required	l					
FLOOR PLAN(s) displaying the f	following:						FPB #10
☐ Aisles ☐	l Audio/Visua	l Equipment		DJ/Band		Lighting	

	Red Carpet		Rope & Stan	chions		Platform/Ter	nporary	Stages		
	Press Bin		Bar Set-Up		Silent Auctio	on Table		]	Smoking Area	as
	Seating Arran	gement		Buffet Tables		Stage Extensi	ions		J	
	Camera Locat	_		Stationary		Roving				
	Registration/Check-In:			_ Tickets		Invitations				
				_		_				
SECURITY:				Yes		No			N/A	
	Crowd Contro	ol/Count		Protestors		Press/Media		]	Celebrities	
	Paparazzi	•				•				
			(Please not	e that certain i	items require	e a Fire Code ı	permit (	(identi	ified at right)	<u>L</u>
DECORATION	NS:		<u>v</u>	v/an additiona	l base cost o	f \$65, plus \$3	1 for ea	ch ite	<u>m)</u>	
	Flame retai	rdant requir	ed?		Yes		No			
\$31.00	Candles				Yes		No		Fire Code Pern	nit Required
	Floral Arrar	ngements			Yes		No			
	Displays				Yes		No			
\$31.00	<b>Vehicle Dis</b>	play			Yes		No		Fire Code Pern	nit Required
\$31.00	Decoration	s/Drapery			Yes		No		Fire Code Pern	nit Required
\$31.00	BBQ				Yes		No		Fire Code Pern	nit Required
\$31.00	Special Effe	ects			Yes		No		Fire Code Pern	nit Required
\$31.00	-				Yes		No		Fire Code Pern	
•		!!			Yes		No		Fire Code Pern	•
\$6.00/per	LPG Gas Ap	ppiiance								
\$6.00/per	·	-								
\$6.00/per	·	-	uired, plea	se provide de				e, 30 t		)
\$6.00/per	·	-	uired, plea					e, 30 t		)
\$6.00/per	·	-	uired, plea			e.g. 5 votive	s/table		tables total	)
\$6.00/per	·	-	uired, plea				s/table	e, 30 t	tables total	)
	If fire code	-	uired, plea	se provide de	escription (	e.g. 5 votive	es/table		tables total	
\$6.00/per	If fire code	permit req		se provide de	escription (	e.g. 5 votive	Per No		tables total	N/A
	If fire code	-	be required	se provide de	Yes	(For FD Use)	Per No No		FR	N/A
	If fire code  NEEDS: Generator(	permit req	be required	se provide de	Yes Yes	(For FD Use)  Truck Mount	Per No No ed	mit #	FR	
	NEEDS: Generator( Cable(s):	permit req	be required	se provide de	Yes Yes	(For FD Use)  Truck Mount Ramped	Per No No ed	mit #	FR	N/A
	NEEDS: Generator( Cable(s):	permit req	be required	se provide de	Yes Yes	(For FD Use)  Truck Mount	Per No No ed	mit #	FR	N/A
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may	be required	se provide de	Yes Yes	(For FD Use)  Truck Mount Ramped	Per No No ed	mit #	FR	N/A
	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica	be required	Trailerable Bridges	Yes Yes  Yes	(For FD Use)  Truck Mount Ramped	Per No No ed	mit #	FR	N/A Portable
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica SPLAYING: Dimensions	be required	Trailerable Bridges	Yes Yes Yes Yes U Yes	(For FD Use)  Truck Mount Ramped	Per No No ed No	mit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica	be required	Trailerable Bridges	Yes Yes  Yes	(For FD Use)  Truck Mount Ramped	Per No No ed	mit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica SPLAYING: Dimensions	be required	Trailerable Bridges  Exits (Contrast	Yes Yes Yes Yes U Yes	(For FD Use)  Truck Mount Ramped	Per No No ed No	mit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica SPLAYING: Dimensions Heaters	be required	Trailerable Bridges  Exits (Contrast Cooking  Yes	Yes Yes Yes Standard Color)	(For FD Use)  Truck Mount Ramped  Exit Signs	Per No No ed No No Smo	mit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations	s): *FSO may to Electrica SPLAYING: Dimensions Heaters	be required	Trailerable Bridges  Exits (Contrast	Yes Yes Yes Standard Color)	(For FD Use)  Truck Mount Ramped  Exit Signs	Per No No ed No No Smo	mit #	FR	N/A Portable Propane
TENT(s) WIT	NEEDS: Generator( Cable(s): Alterations H PLANS DIS	s): *FSO may to Electrica SPLAYING: Dimensions Heaters Mini	be required	Trailerable Bridges  Exits (Contrast Cooking  Yes	Yes Yes Yes  Yes  Ing Color)	(For FD Use)  (For FD Use)  Truck Mount Ramped  Exit Signs  No tained at all	Per No No ed No No Smo	mit #	FR	N/A Portable Propane
ELECTRICAL I  TENT(s) WITH	NEEDS: Generator( Cable(s): Alterations H PLANS DIS  COMISED: Vledge receipt of street also acknown	permit req  (S): *FSO may  to Electrica  SPLAYING: Dimensions Heaters  Mini of Fire Prevent wledge that th	be required  D Il Panel:  Imum 12 fi	Trailerable Bridges  Exits (Contrast Cooking  Yes In fire lane mustom #10 in connorm must be submit	Yes Yes Yes  Yes  ing Color)  ust be main ection with the ted 7 to 10 da	(For FD Use)  (For FD Use)  Truck Mount Ramped  Exit Signs  No tained at all is public assemlays prior to the	Per No No No No Smo  times bly event event. 1	cmit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations H PLANS DIS  COMISED: Viedge receipt of the every count of the every	permit req  (S): *FSO may  to Electrica  SPLAYING: Dimensions Heaters  Mini of Fire Prevent wledge that th	be required  D Il Panel:  Imum 12 fi	Trailerable Bridges  Exits (Contrast Cooking  Yes In fire lane mu	Yes Yes Yes  Yes  ing Color)  ust be main ection with the ted 7 to 10 da	(For FD Use)  (For FD Use)  Truck Mount Ramped  Exit Signs  No tained at all is public assemlays prior to the	Per No No No No Smo  times bly event event. 1	cmit #	FR	N/A Portable Propane
ELECTRICAL I  TENT(s) WITH	NEEDS: Generator( Cable(s): Alterations H PLANS DIS  COMISED: Viedge receipt of the every count of the every	permit req  (S): *FSO may  to Electrica  SPLAYING: Dimensions Heaters  Mini of Fire Prevent wledge that th	be required  D Il Panel:  Imum 12 fi	Trailerable Bridges  Exits (Contrast Cooking  Yes In fire lane mustom #10 in connorm must be submit	Yes Yes Yes  Yes  ing Color)  ust be main ection with the ted 7 to 10 da	(For FD Use)  (For FD Use)  Truck Mount Ramped  Exit Signs  No tained at all is public assemlays prior to the	Per No No No No Smo  times bly event event. 1	cmit #	FR	N/A Portable Propane
ELECTRICAL I	NEEDS: Generator( Cable(s): Alterations H PLANS DIS  COMISED: Viedge receipt of the every count of the every	s): *FSO may to Electrica SPLAYING: Dimensions Heaters Mini of Fire Prevent wledge that thent. You may be	be required  D Il Panel:  Imum 12 fi	Trailerable Bridges  Exits (Contrast Cooking  Yes I fire lane mu must be submit	Yes Yes Yes  Yes  ing Color)  ust be main ection with the ted 7 to 10 da	(For FD Use)  (For FD Use)  Truck Mount Ramped  Exit Signs  No tained at all is public assemlays prior to the	Per No No ed No No Smo  times bly event event. 1	ching that we see that the see	FR	N/A Portable Propane complete all